

**NRS 392.435** Immunization of pupils: Certificate prerequisite to enrollment; conditional enrollment; effect of military transfer of parent of child; consequences for failure to immunize; report to Health Division; inclusion of certificate in pupil's record. [Effective January 1, 2011]

Unless excused because of religious belief or medical condition, a child may not be enrolled in a public school within this State unless his parents or guardian submit to the board of trustees of the school district in which the child resides a certificate stating that the child has been immunized and has received proper boosters for that immunization or is complying with the schedules established pursuant to NRS 439.550 for the following diseases:

**5 DTaP/DPT** (Minimum age: 6 weeks) if series was started before age 7 (lab titer NOT acceptable)

- 1<sup>st</sup>, 2<sup>nd</sup>, and 3<sup>rd</sup> dose must be separated by 4 weeks.
- 4<sup>th</sup> dose must be separated from the 3<sup>rd</sup> dose by at least 4 months.
- 5<sup>th</sup> dose must be separated from the 4<sup>th</sup> dose by at least 6 months and given on or after 4<sup>th</sup> birthday.
- 5<sup>th</sup> dose not needed if 4<sup>th</sup> dose given on or after 4<sup>th</sup> birthday and at least 6 months after previous dose.

**Catch up schedule** – Students age 7 or older, who are not immunized with the childhood DTaP/DPT vaccine series, should receive Tdap vaccine as the initial dose in the catch-up series. If additional doses are needed, use Td/Tdap vaccine.

- A total of 4 doses DTaP/DTP/Td/Tdap combination is needed if first dose is given less than 12 months of age.
- Dose 3 and 4 must be 6 months apart. 4<sup>th</sup> dose does not need to be repeated if it was administered at least 4 months after the 3<sup>rd</sup> dose.
- A total of 3 doses Td/Tdap combination is needed if first dose given at 12 months and older. Dose 2 and 3 must be 6 months apart.
- Tdap if given at age 7, 8 or 9, must be repeated at age 11–12 years old. Dose is valid if administered at age 10.

**2 Hepatitis A** (Minimum age: 12 months) (lab titer acceptable)

- 2<sup>nd</sup> dose must be at least 6 months after the 1<sup>st</sup> dose.

**3 Hepatitis B** (Minimum age: birth) (lab titer acceptable)

- 1<sup>st</sup> and 2<sup>nd</sup> dose must be separated by 4 weeks.
- 2<sup>nd</sup> and 3<sup>rd</sup> dose must be separated by at least 8 weeks.
- 3<sup>rd</sup> dose at least 16 weeks after the 1<sup>st</sup> dose. (Minimum age for final- 3<sup>rd</sup> or 4<sup>th</sup> dose: 24 weeks of age).

**2 MMR\*\*** (Minimum age: 12 months) (lab titer acceptable)

- 1<sup>st</sup> and 2<sup>nd</sup> dose must be separated by at least 4 weeks.
- 2<sup>nd</sup> not required until on or after the 4<sup>th</sup> birthday.

**1-2 MCV4 (MenACWY-Quadrivalent MENINGOCOCCAL)** (lab titer NOT acceptable)

- Required for enrollment in Grade 7 after June 30, 2017, (and all students new to District between Grades 8 and 12).
- Must receive at least 1 dose of MenACWY on or after age 10 years. (Does not apply to students enrolled before July 1, 2009)
- A MCV4 (MenACWY) dose is required on or after the age of 16 for students entering Grade 12.
- Required for enrollment in Grade 12 after June 30, 2022. (Does not apply to students enrolled before July 1, 2009).

**3-4 Polio/IPV/OPV** (Minimum age: 6 weeks) (lab titer NOT acceptable)

- 1<sup>st</sup>, 2<sup>nd</sup>, and 3<sup>rd</sup> doses must be separated by 4 weeks.
- Final dose at least 6 months after the previous dose and on or after 4<sup>th</sup> birthday.
- 4<sup>th</sup> dose not needed if 3<sup>rd</sup> dose is at least 6 months from the previous dose and on or after 4<sup>th</sup> birthday.

**1 Tdap \*** (lab titer NOT acceptable)

- Required for enrollment in Grade 7 and all students in Grades 8–12.  
\*See DTaP/DTP for catch up schedule. Dose is valid if administered at age 10.

**2 Varicella/Chicken Pox\*\*** (Minimum age: 12 months) (lab titer acceptable)

- Required for students new to Nevada, or new to District after July 1, 2011.
- 12 months through 12 years, 1<sup>st</sup> and 2<sup>nd</sup> dose should be separated by 3 months; however, dose is valid if separated by 4 weeks if administered.
- 13 years and older, 1<sup>st</sup> and 2<sup>nd</sup> doses must be separated by 4 weeks.
- Physician verification of past disease required for exemption.

\*\*Live vaccines (MMR, Varicella and live, attenuated Influenza) must be separated by 28 days if not given on the same day. Four-day rule applies if the same live vaccine is administered.